

CA-MI NEW HOSPIVAC 400 SUCTION UNIT, AUTOCLAVABLE JARS, 2 X 2000 ML-FULL 2 VERSION



Ref. BCASPI56











29/08/2024 15:02:02 - For information purposes only, can be subject to change









CA-MI NEW HOSPIVAC 400 SUCTION UNIT, AUTOCLAVABLE JARS, 2 X 2000 ML-FULL 2 VERSION



Ref. BCASPI56

Description

with foot control and communicating jars

Designed to drain the patient's body fluids, gases, tissues and bones, during or after a procedure. The state-of-the-art oil-free pump system guarantees excellent suction capabilities and maximum vacuum pressure in seconds, without any need for maintenance.

- The precise dashboard and the full range of accessories that come with it make it the ideal device for surgical aspiration and liposuction.
- · Available in 3 versions: Basic, FS or full · Accessories for the Basic version: Fluid collection jar with an anti-reflux valve

8x14 Silicone hoses (autoclavable) and conical connectors ø 10-11-12mm

Antibacterial & hydrophobic filter (single patient)

Power cord with Schuko

plug. Accessories for the FS version:

Fluid collection jar with an anti-reflux

valve- 8x14 Silicone hoses (autoclavable) and conical connectors ø 10-11-12mm- Antibacterial & hydrophobic filter (single patient)

Power cord with Schuko plug

Pedal

· Accessories for the Full version:

Fluid collection jar with an anti-reflux valve

8x14 Silicone hoses (autoclavable) and conical connectors ø 10-11-12mm

- Antibacterial & hydrophobic filter (single patient)
- Power cord with Schuko plug,

Pedal

Electronic Transfer System between collection jars

chinal sharacteristics: 02 - For information purposes only, can be subject to change

GSH | 30 rue Jean de Guiramand 13290 Aix-en-Provence | France



**** +33(0)4 42 90 31 31





www.gsh-med.fr



CA-MI NEW HOSPIVAC 400 SUCTION UNIT, AUTOCLAVABLE JARS, 2 X 2000 ML-FULL 2 VERSION



Ref. BCASPI56

Features

CE Marking	CE0123	Medical device	Class lla
Bar code	3661040139425	HS Code	90189084
Warranty (months)	36	Country	Italy
DIMENSIONS AND WEIGHT			
Packed unit / Width (cm)	50	Packed unit / Height (cm)	92
Packed unit / Length (cm)	50	Packed unit / Weight	21
SPECIFIC STORAGE CONDITIONS	3		
Minimum temperature	-20	Max temperature	45
Minimum humidity	NA	Maximum humidity	85
OTHER FEATURES			
Packed unit / Quantity	1		

29/08/2024 15:02:02 - For information purposes only, can be subject to change





