

NEW ASPIRET ELECTRICAL SUCTION UNIT 1L AUTOCLAVABLE POLICARBONATE JAR



Ref. BCASPI01



29/08/2024 14:42:48 - For information purposes only, can be subject to change

GSH | 30 rue Jean de Guiramand
13290 Aix-en-Provence | France

www.gsh-med.fr

+33(0)4 42 90 31 31

info@gsh-med.fr

NEW ASPIRET ELECTRICAL SUCTION UNIT 1L AUTOCLAVABLE POLICARBONATE JAR



Ref. BCASPI01

Fixed electric surgical Suction Unit, intended to drain body fluids and to perform oral, nasal and tracheal aspiration in adults and children.

Description

Suitable for tracheostomy patients and is ideal for minor surgical applications as well as postoperative home treatments.

Main applications: ENT, Home care, Room, Tracheostomy

The main system is equipped with a pressure gauge (bar & kPa) and a vacuum regulator

Optional roller foot

- Supplied accessories: Fluid collection jar with anti-reflux valve with different options / 6 x 10 Silicone hoses (autoclavable) and conical connectors ø 8-9-10 mm / Antibacterial & hydrophobic filter (single patient) / Cannula CH20 / Power cord with Schuko plug

- Motor: Oil-free piston pump requiring no maintenance

- Power supply: 230V-50Hz - other configurations available on request

- Maximum vacuum (adjustable): 0.75 Bar -75 kPa -563 mmHg

- Max free air flow: 15 l/min

- Noise level: 59.6 dBA

- Operating cycle: Uninterrupted

- Weight: 2.2 kg / Dimensions: 23 x 19 x 16 cm

Features

CE Marking	CE0123	Medical device	Class IIa
Bar code	8033622540229	HS Code	90189084
Warranty (months)	24	Country	Italy
DIMENSIONS AND WEIGHT			
Packed unit / Width (cm)	nc	Bare Unit / Width (cm)	23
Packed unit / Height (cm)	nc	Bare Unit / Height (cm)	16
Packed unit / Length (cm)	nc	Bare Unit / Length (cm)	19
Packed unit / Weight	2.8	Bare Unit / Weight (kg)	2.2
SPECIFIC STORAGE CONDITIONS			
Minimum temperature	-20	Max temperature	45
Minimum humidity	NA	Maximum humidity	85

OTHER FEATURES

GSH | 30 rue Jean de Guiramand
13290 Aix-en-Provence | France

+33(0)4 42 90 31 31

info@gsh-med.fr

www.gsh-med.fr